

2 Attacchi - raccordi Joints

A100 Attacco a baionetta femmina Bayonet joint with female thread



Art.	Misura / Size	€
A100/1	1/8"	0,62
A100/2	1/4"	0,70
A100/3	3/8"	0,85

A101 Attacco a baionetta maschio Bayonet joint with male thread



Art.	Misura / Size	€
A101/1	1/8"	0,60
A101/2	1/4"	0,63
A101/3	3/8"	0,87

A102 Attacco a baionetta con portagomma Bayonet joint with sleeve



Art.	Misura / Size	€
A102/A	6 x 10	1,43
A102/1	6 x 14	1,29
A102/1A	8 x 12	1,45
A102/1B	8 x 15	1,45
A102/2	8 x 17	1,42
A102/2A	10 x 15	1,92
A102/3	10 x 17	1,95
A102/4	10 x 19	1,99

A103 Attacco filettato femmina con portagomma Joint with female thread with sleeve



Art.	Misura / Size	€
A103/A	1/4" 6 x 10	1,65
A103/1	1/4" 6 x 14	1,50
A103/1A	1/4" 8 x 12	1,70
A103/1B	1/4" 8 x 15	1,70
A103/2	1/4" 8 x 17	1,65
A103/2A	1/4" 10 x 17	1,80
A103/2B	1/4" 10 x 19	1,99
A103/2C	1/4" 10 x 15	1,80
A103/3	3/8" 6 x 14	1,88
A103/3A	3/8" 6 x 10	1,90
A103/3B	3/8" 8 x 12	1,99
A103/3C	3/8" 8 x 15	1,99
A103/4	3/8" 8 x 17	1,99
A103/4A	3/8" 10 x 17	2,16
A103/4B	3/8" 10 x 19	2,39
A103/4C	3/8" 10 x 15	2,16

A104 Attacco filettato maschio con portagomma Joint with male thread with sleeve



Art.	Misura / Size	€
A104/A	1/4" 6 x 10	1,65
A104/1	1/4" 6 x 14	1,50
A104/1A	1/4" 8 x 12	1,70
A104/1B	1/4" 8 x 15	1,70
A104/2	1/4" 8 x 17	1,65
A104/2A	1/4" 10 x 17	1,80
A104/2B	1/4" 10 x 19	1,99
A104/2C	1/4" 10 x 15	1,80
A104/3	3/8" 6 x 14	1,88
A104/3A	3/8" 6 x 10	1,90
A104/3B	3/8" 8 x 12	1,99
A104/3C	3/8" 8 x 15	1,99
A104/4	3/8" 8 x 17	1,99
A104/4A	3/8" 10 x 17	2,16
A104/4B	3/8" 10 x 19	2,39
A104/4C	3/8" 10 x 15	2,16

A105 Attacco a baionetta con resca Bayonet joint with tail



Art.	Misura / Size	€
A105/1	ø 6	0,48
A105/2	ø 7	0,48
A105/3	ø 8	0,50
A105/4	ø 10	0,56
A105/5	ø 12	0,70
A105/6	ø 14	0,75

A106 Guarnizioni per attacchi Gasket for bayonet joint



Art.	Misura / Size	€
A106/1	Confezione 100 pezzi 100 pcs. package	0,09

A107 Attacco filettato maschio con resca Rubber hose tail fitting male



Art.	Misura / Size	€
A107/1	1/8" ø 6	0,45
A107/2	1/8" ø 7	0,45
A107/3	1/8" ø 8	0,45
A107/4	1/8" ø 9	0,45
A107/5	1/4" ø 6	0,60
A107/6	1/4" ø 7	0,60
A107/7	1/4" ø 8	0,60
A107/8	1/4" ø 9	0,60
A107/9	1/4" ø 10	0,60
A107/10	1/4" ø 12	0,60
A107/11	3/8" ø 8	0,96
A107/12	3/8" ø 9	0,96
A107/13	3/8" ø 10	0,96
A107/14	3/8" ø 12	0,96
A107/15	3/8" ø 14	0,96
A107/16	3/8" ø 16	0,96
A107/17	1/2" ø 12	1,65
A107/18	1/2" ø 14	1,65
A107/19	1/2" ø 16	1,65
A107/21	1/2" ø 20	1,65
A107/24	3/4" ø 18	3,60
A107/25	3/4" ø 20	3,60
A107/26	3/4" ø 25	3,65
A107/27	1" ø 25	4,40
A107/28	1" ø 30	4,40

2 Attacchi - raccordi Joints

A108 Attacco filettato femmina con resca Rubber hose tail fitting female



Art.	Misura / Size	€
A108/1	1/8" ø 6	0,70
A108/2	1/8" ø 7	0,70
A108/3	1/4" ø 7	0,73
A108/4	1/4" ø 8	0,76
A108/5	3/8" ø 9	1,09
A108/7	1/2" ø 12	2,10

A113 Raccordo con due dadi fresati Joint with two milled nuts



Art.	Misura / Size	€
A113/1		1,45

A109 Attacco doppia resca Double union joint



Art.	Misura / Size	€
A109/1	ø 6	0,97
A109/2	ø 7	0,97
A109/3	ø 8	0,97
A109/4	ø 10	1,03
A109/5	ø 12	1,09
A109/6	ø 14	1,09

A114 Raccordo a "T" con tre dadi fresati "T" joint with three milled nuts



Art.	Misura / Size	€
A114/1		3,45

A110 Dado fresato Milled nut



Art.	Misura / Size	€
A110/1	1/4"	0,46
A110/2	3/8"	0,53

A118 Tappo con filetto femmina Cap with female thread



Art.	Misura / Size	€
A118/1	1/8"	0,48
A118/2	1/4"	0,70
A118/3	3/8"	0,99
A118/4	1/2"	1,75

A111 Raccordo maschio con dado fresato Joint with male thread and milled nut



Art.	Misura / Size	€
A111/1	1/8"	0,85
A111/2	1/4"	0,86
A111/3	3/8"	1,15

A119 Tappo con filetto maschio conico Cap with male conical thread



Art.	Misura / Size	€
A119/1	1/8"	0,33
A119/2	1/4"	0,44
A119/3	3/8"	0,66
A119/4	1/2"	1,02
A119/5	3/4"	1,99
A119/6	1"	3,20

A112 Raccordo femmina con dado fresato Joint with female thread, milled nut



Art.	Misura / Size	€
A112/1	1/4"	1,15
A112/2	3/8"	1,45

A120 Tappo con filetto cilindrico maschio Cap with cylindrical male thread



Art.	Misura / Size	€
A120/1	1/8"	0,22
A120/2	1/4"	0,34
A120/3	3/8"	0,64
A120/4	1/2"	0,93
A120/5	3/4"	2,20
A120/6	1"	3,20

2 Attacchi - raccordi Joints

A121 Nipplo con filetto cilindrico maschio Nipple with cylindrical male thread



Art.	Misura / Size	€
A121/1	1/8" 1/8"	0,33
A121/2	1/8" 1/4"	0,47
A121/3	1/8" 3/8"	0,63
A121/4	1/8" 1/2"	0,74
A121/5	1/4" 1/4"	0,52
A121/6	1/4" 3/8"	0,69
A121/7	1/4" 1/2"	1,05
A121/8	3/8" 3/8"	0,75
A121/9	3/8" 1/2"	1,15
A121/10	1/2" 1/2"	1,20
A121/11	1/2" 3/4"	2,80
A121/12	3/4" 3/4"	2,99
A121/13	3/4" 1"	4,60
A121/14	1" 1"	4,60

A124 Giunzione cilindrica maschio-femmina Cylindrical connection male-female thread



Art.	Misura / Size	€
A124/1	1/8" 1/8"	0,46
A124/2	1/8" 1/4"	0,52
A124/3	1/8" 3/8"	0,73
A124/4	1/8" 1/2"	1,49
A124/5	1/4" 1/4"	0,56
A124/6	1/4" 3/8"	0,85
A124/7	1/4" 1/2"	1,45
A124/8	3/8" 3/8"	0,91
A124/9	3/8" 1/2"	1,60
A124/10	1/2" 1/2"	1,60
A124/11	1/2" 3/4"	2,99
A124/12	3/4" 3/4"	2,99
A124/13	3/4" 1"	4,70
A124/14	1" 1"	4,70

A122 Nipplo con filetto conico maschio Nipple with conical male thread



Art.	Misura / Size	€
A122/1	1/8" 1/8"	0,30
A122/2	1/8" 1/4"	0,65
A122/3	1/8" 3/8"	0,79
A122/4	1/8" 1/2"	0,95
A122/5	1/4" 1/4"	0,55
A122/6	1/4" 3/8"	0,95
A122/7	1/4" 1/2"	1,50
A122/8	3/8" 3/8"	0,75
A122/9	3/8" 1/2"	1,50
A122/10	1/2" 1/2"	1,30
A122/11	1/2" 3/4"	2,70
A122/12	3/4" 3/4"	3,00
A122/13	3/4" 1"	4,80
A122/14	1" 1"	4,80

A125 Riduzione cilindrica maschio-femmina Reducer male-female cylindrical thread



Art.	Misura / Size	€
A125/1	1/4" 1/8"	0,33
A125/2	3/8" 1/8"	0,55
A125/3	3/8" 1/4"	0,50
A125/4	1/2" 1/8"	1,00
A125/5	1/2" 1/4"	0,95
A125/6	1/2" 3/8"	0,85
A125/7	3/4" 3/8"	1,90
A125/8	3/4" 1/2"	1,75
A125/9	1" 1/2"	3,95
A125/10	1" 3/4"	3,25

A123 Manicotto con filetto cilindrico femmina Manifold with cylindrical female thread



Art.	Misura / Size	€
A123/1	1/8" 1/8"	0,50
A123/2	1/8" 1/4"	0,79
A123/3	1/8" 3/8"	0,90
A123/4	1/8" 1/2"	1,50
A123/5	1/4" 1/4"	0,64
A123/6	1/4" 3/8"	1,00
A123/7	1/4" 1/2"	1,60
A123/8	3/8" 3/8"	0,85
A123/9	3/8" 1/2"	1,60
A123/10	1/2" 1/2"	1,69
A123/11	3/4" 1/2"	3,70
A123/12	3/4" 3/4"	3,50
A123/13	3/4" 1"	5,00
A123/14	1" 1"	5,60

A126 Giunzione conica maschio-femmina Conical connection male-female




Art.	Misura / Size	€
A126/1	1/8" 1/8"	0,47
A126/2	1/8" 1/4"	0,66
A126/3	1/8" 3/8"	0,95
A126/4	1/4" 1/4"	0,72
A126/5	1/4" 3/8"	1,05
A126/6	1/4" 1/2"	1,70
A126/7	3/8" 3/8"	1,05
A126/8	3/8" 1/2"	1,70
A126/9	1/2" 1/2"	1,76
A126/10	1/2" 3/4"	3,30
A126/11	3/4" 3/4"	3,95

2 Attacchi - raccordi Joints


Il filetto maschio dei raccordi a "L", a "T", a "Y" e a "croce" è conico.
Male thread of "L", "T", "Y" and "cross" joints is conical.

A127 Prolunga maschio-femmina
Extension male-female




Art.	Misura / Size	€
A127/1	1/8"x1/8" L 36	1,06
A127/2	1/8"x1/8" L 45	1,19
A127/3	1/4"x1/4" L 27	1,15
A127/4	1/4"x1/4" L 43	1,69

A134 Raccordo a "T" F-F-F
"T" joint with F-F-F thread




Art.	Misura / Size	€
A134/1	1/8"	1,35
A134/2	1/4"	2,39
A134/3	3/8"	3,47
A134/4	1/2"	5,22
A134/5	3/4"	7,82
A134/6	1"	12,50

A130 Raccordo a "L" femmina-femmina
"L" joint with female-female thread




Art.	Misura / Size	€
A130/1	1/8"	1,07
A130/2	1/4"	1,74
A130/3	3/8"	2,58
A130/4	1/2"	3,80
A130/5	3/4"	5,26
A130/6	1"	8,51

A135 Raccordo a "T" F-M-F
"T" joint with F-M-F thread




Art.	Misura / Size	€
A135/1	1/8"	1,26
A135/2	1/4"	2,26
A135/3	3/8"	3,27
A135/4	1/2"	5,20
A135/5	3/4"	7,34
A135/6	1"	11,94

A131 Raccordo a "L" maschio-maschio
"L" joint with male-male thread




Art.	Misura / Size	€
A131/1	1/8"	0,78
A131/2	1/4"	1,22
A131/3	3/8"	1,89
A131/4	1/2"	3,20
A131/5	3/4"	4,46
A131/6	1"	7,22

A136 Raccordo a "T" M-M-F
"T" joint with M-M-F thread




Art.	Misura / Size	€
A136/1	1/8"	1,22
A136/2	1/4"	2,14
A136/3	3/8"	3,05
A136/4	1/2"	4,89
A136/5	3/4"	7,11
A136/6	1"	11,40

A132 Raccordo a "L" maschio-femmina
"L" joint with male-female thread




Art.	Misura / Size	€
A132/1	1/8"	0,85
A132/2	1/4"	1,24
A132/3	3/8"	1,89
A132/4	1/2"	3,28
A132/5	3/4"	4,84
A132/6	1"	7,86

A137 Raccordo a "T" M-M-M
"T" joint with M-M-M thread




Art.	Misura / Size	€
A137/1	1/8"	1,09
A137/2	1/4"	1,80
A137/3	3/8"	2,84
A137/4	1/2"	4,50
A137/5	3/4"	6,65
A137/6	1"	10,78

A133 Raccordo a "T" M-F-F
"T" joint with M-F-F thread



Art.	Misura / Size	€
A133/1	1/8"	1,22
A133/2	1/4"	2,14
A133/3	3/8"	3,05
A133/4	1/2"	4,88
A133/5	3/4"	6,89
A133/6	1"	11,03

A138 Raccordo a croce M-F-F-F
Cross joint with M-F-F-F thread




Art.	Misura / Size	€
A138/1	1/8"	1,92
A138/2	1/4"	3,14
A138/3	3/8"	4,28
A138/4	1/2"	7,29

2 Attacchi - raccordi Joints

Il filetto maschio dei raccordi a "L", a "T", a "Y" e a "croce" è conico.
Male thread of "L", "T", "Y" and "cross" joints is conical.

A139 Raccordo a croce F-F-F-F
Cross joint with F-F-F-F thread




Art.	Misura / Size	€
A139/1	1/8"	1,99
A139/2	1/4"	3,30
A139/3	3/8"	4,64
A139/4	1/2"	7,63

A150 Raccordo a "L" maschio con portagomma a 90°
Male "L" joint with tail fitting at 90°



Art.	Misura / Size	€
A150/1	1/8" 6 mm	0,89
A150/2	1/4" 6 mm	0,97
A150/3	1/8" 7 mm	0,89
A150/4	1/4" 7 mm	1,00

A141 Raccordo a "V" M-F-F
"V" joint with M-F-F thread




Art.	Misura / Size	€
A141/1	1/8"	1,22
A141/2	1/4"	1,91
A141/3	3/8"	2,61
A141/4	1/2"	4,71

A151 Raccordo a "L" maschio con portagomma a 120° raggato
Male "L" joint with tail fitting at 120°



Art.	Misura / Size	€
A151/1	1/8" 6 mm	1,25
A151/2	1/8" 7 mm	1,25

A142 Raccordo a "V" F-F-F
"V" joint with F-F-F thread



Art.	Misura / Size	€
A142/1	1/8"	1,13
A142/2	1/4"	1,79
A142/3	3/8"	2,45
A142/4	1/2"	3,99

A155 Raccordo girevole conico maschio-maschio
Male-male rotating conical joint



Art.	Misura / Size	€
A155/1	1/8"x1/8"	5,55
A155/2	1/4"x1/4"	6,45
A155/3	3/8"x3/8"	13,30
A155/4	1/2"x1/2"	20,20

Adatto per il collegamento di corpi e di tubi senza necessità di ruotarli
To connect bodies or pipes with no need to turn them